

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problem Mailbox.**

1/15

# Anti-H91AHin47 Antibody Titers in Mice





FIG. 1

2/15

## Primary Anti-H91AHin47 Antibody Responses in Mice



Groups of 5 mice were immunized with 0.3 ug of H91AHin47 on day 1 in the presence of various amounts of rHMW. Blood samples were collected on days 14 and 28.

\*Statistical significance was found when compared to the control group by student *t* test

FIG.2

3/15

# Anti-rHMW Antibody Titers in Mice





FIG. 3

4/15

Primary Anti-rHMW Antibody Responses in Mice




Groups of 5 mice were immunized with 10 ug of rHMW on day 1 in the presence of various amounts of H91AHin47. Blood samples were collected on days 14 and 28.

\*Statistical significance was found when compared to the control group by student *t* test

FIG.4

5/15

**Anti-H91AHin47 Antibody Titers in Guinea Pigs****FIG. 5**

6/15

# Anti-rHMW Antibody Titers in Guinea Pigs




FIG. 6

7/15

**Protective Ability of A Two-component *H. influenzae* Vaccine  
Against Intrabulla Challenge with NTHi Strain 12 in Chinchillas**





FIG. 7



8/15

**Protective Ability of A Two-component *H. influenzae* Vaccine  
Against NP Colonization with NTHi Strain 12 in Chinchillas**




**FIG. 8**


9/15

# The Stability of H91AHin47 and rHMW Adsorbed in Alum

Time 0



After 2 weeks



1. H91AHin47 + rHMW
2. H91AHin47
3. rHMW
- s. Supernatant of alum suspension
- p. Aluminium sulfate adsorbed proteins

FIG. 9

10/15

## Anti-H91A and HMW1 Antibody Titers in Guinea Pigs




FIG.10a

11/15

## Anti- Pentacel Component Antibody Titers in Guinea Pigs




FIG.10b




FIG.11a





FIG.11b

14/15

FIG.11c



pHMW1-15 Xb/B digestion 15 / 15  
 Xb- B oligo to delete 5' flanking  
 and leader sequence




FIG.12